

SALERNO



Product Information & Data Sheet

Salerno is an old-world tumbled real limestone thin veneer. The tumbled stone is labor-intensive to produce but the finished product is undeniably beautiful. Large sheets of limestone are quarried and placed on a large table to be sawn by a gantry or rip saw. The gantry saw rips the stone into strips with widths of 2.25", 5", and 7.75". The strips are then split into blocks of manageable lengths. The blocks are fed into a large drum tumbler to have their rough edges ground smooth. Lastly, the tumbled blocks are fed into the veneer saw to be cut to a thickness of approximately 1". Salerno can be installed with a standard half-inch mortar joint or with a flush or overgrout mortar technique for an old-world look.

Flats Dimensions

Heights: 2- $\frac{1}{4}$ ", 5", 7- $\frac{3}{4}$ "

Lengths: 4" - 16"

Depths: $\frac{3}{4}$ " - 1- $\frac{1}{2}$ "

Weight: 13 - 15 lb. per square foot

Corner Dimensions

Heights: 2- $\frac{1}{4}$ ", 5", 7- $\frac{3}{4}$ "

Lengths: 3"-5" x 8"-12"

Depths: $\frac{3}{4}$ " - 1- $\frac{1}{2}$ "

Weight: 20 lb. per linear foot
Angle: 90

Stone Characteristics

Colors: Gold Tones

Style: Dimensional

Finish: Tumbled

Packaging

Sold as loose pieces.

Flat Pallet: 150 square feet

Corner Pallet: 50 linear feet

Applications

This natural stone veneer is approved for all applications due to its high compressive strength and low water absorption. It is well suited for exterior applications with a harsh climate.




LEED® Certification & Energy Efficiency

Using natural stone veneer can contribute to obtaining credits toward your LEED green building certification. The natural material helps improve the energy efficiency of your home or business.

Installation

Natural thin stone veneer installation information is available on our website:

 <https://quarrymill.com/info/technical-resources/>

We have resources to help with everything from mortar joint selection to a full PDF install guide.

 <https://quarrymill.com/shop/salerno/>

Natural stone varies in color, shape and veining from piece to piece. Photos used are meant to be as accurate as possible in depicting the product. Photos of stone are meant to give a general idea but should not be used for exact color matching.