CANTERBURY

Product Information & Data Sheet



Canterbury is a clean-cut dimensional ledgestone veneer intended for a drystack installation. The individual pieces are cut into 2", 4", and 6" heights and fit together tightly when installed with a mortarless application. The ends of the pieces are natural and may require some field trimming by the mason on-site. Canterbury is a splitback product as the stone naturally comes out of the guarry in approximately 1" sheets. This will have no impact on the installation or final appearance. The full sheets of stone are fed into a gang or multi-blade saw with the blades spaced 2", 4", and 6" apart to cut clean strips in set heights.

Flats Dimensions

Heights: 1" - 6" Lengths: 4" - 12"

Depths: 3/4" - 1-1/2"

Weight: 13 - 15 lb. per square foot Weight: 20 lb. per linear foot

Corner Dimensions

Heights: 1" - 6"

Lengths: 3"-5" x 8"-12" Depths: 3/4" - 1-1/2"

Angle: 90

Stone Characteristics

Colors: Grey Tones, Natural

Tones

Style: Dimensional

Ledgestone Finish: Natural

Packaging

Sold as loose pieces.

Flat Pallet: 150 square feet Corner Pallet: 50 linear feet

Applications

This natural stone veneer is approved for all applications due to its high compressive strength and low water absorption. It is well suited for exterior applications with a harsh climate.



LEED® Certification & **Energy Efficiency**

Using natural stone veneer can contribute to obtaining credits toward your LEED green building certification. The natural material helps improve the energy efficiency of your home or business.

Installation

Natural thin stone veneer installation information is available on our website:



https://quarrymill.com/info/technical-r esources/

We have resources to help with everything from mortar joint selection to a full PDF install guide.



(https://quarrymill.com/shop/canterbury/