COPENHAGEN

Product Information & Data Sheet



Copenhagen is a predominantly grey natural thin stone veneer. It showcases the beauty that can be achieved when raw stone undergoes multiple processes in our facility. Copenhagen stone is dimensional cut (sawed height) and gets a tumbled finish in our cut shop. The natural limestone slabs are sawed into strips at specified heights (2.25", 5", and 7.75") by a large computer-guided overhead saw. The strips are split with a hydraulic press and the newly formed blocks are fed into the large drum tumbler. Finally, the tumbled blocks are sawn into thin veneer to create Copenhagen.

Flats Dimensions

Heights: 2-1/4", 5", 7-3/4" Lengths: 4" - 16" Depths: 3/4" - 1-1/2" Weight: 13 - 15 pounds

Stone Characteristics

Colors: Grey Tones Style: Dimensional Finish: Tumbled

Corner Dimensions

Angle: 90 degrees Heights: 2-1/4", 5", 7-3/4 Lengths: 3"-5" x 8"-12" Depths: 3/4" - 1-1/2"

Weight: 20 pounds per linear foot

Packaging

Sold as loose pieces. Flat Pallet: 100 square feet Corner Pallet: 50 linear feet

Applications

This natural stone veneer is approved for all applications due to its high compressive strength and low water absorption. It is well suited for exterior applications with a harsh climate.



LEED® Certification & **Energy Efficiency**

Using natural stone veneer can contribute to obtaining credits toward your LEED green building certification. The natural material helps improve the energy efficiency of your home or business.

Installation

Natural thin stone veneer installation information is available on our website:

https://quarrymill.com/info/technical-r esources/

We have resources to help with everything from mortar joint selection to a full PDF install guide.



Nttps://quarrymill.com/naturalstoneveneer/copenhagen/