

OAK BROOK

Product Information & Data Sheet

Oak Brook is a tumbled dimensional style natural limestone veneer sawed to three set heights of 2.25", 5" and 7.75" with random lengths. 10.5" heights are available upon request for large-scale projects at no additional cost. Oak Brook is a testament to the natural beauty that can be achieved with tumbling. The individual pieces of stone show the subtle color variations of the bedfaces of premium Wisconsin limestone. The tumbling process softens the sharp edges of the stone and creates an extra depth of color due to the pieces grinding against each other in the tumbler. Oak Brook is revered for the natural contrast between modern and old-world styles. The sawed heights of the dimensional style create a modern appearance juxtaposed against the old-world look and feel of the tumbled stone.

Flats Dimensions

Heights: 2-¼", 5", 7-¾"
Lengths: 4" - 16"
Depths: ¾" - 1-½"
Weight: 13 - 15 lb. per square foot

Corner Dimensions

Heights: 2-¼", 5", 7-¾"
Lengths: 3"-5" x 8"-12"
Depths: ¾" - 1-½"
Weight: 20 lb. per linear foot
Angle: 90

Stone Characteristics

Colors: Gold Tones, Grey Tones, Natural Tones
Style: Dimensional
Finish: Tumbled

Packaging

Sold as loose pieces.
Flat Pallet: 150 square feet
Corner Pallet: 50 linear feet

Applications

This natural stone veneer is approved for all applications due to its high compressive strength and low water absorption. It is well suited for exterior applications with a harsh climate.

<https://quarrymill.com/shop/oak-brook/>

Natural stone varies in color, shape and veining from piece to piece. Photos used are meant to be as accurate as possible in depicting the product. Photos of stone are meant to give a general idea but should not be used for exact color matching.



LEED® Certification & Energy Efficiency

Using natural stone veneer can contribute to obtaining credits toward your LEED green building certification. The natural material helps improve the energy efficiency of your home or business.

Installation

Natural thin stone veneer installation information is available on our website:

URL

<https://quarrymill.com/support>

We have resources to help with everything from mortar joint selection to a full PDF install guide.