APPLETON

Product Information & Data Sheet

THE QUARRY MILL
SINCE 2006

Appleton thin stone veneer is cut from natural Wisconsin granite. The raw stone was deposited years ago as glaciers moved through the state. The stone is unearthed as large boulders the size of a suv and is then broken down via our splitting and sawing processes to make the finished thin veneer. Appleton has shades of soft red, off white, greys and blues. The stone is considered a fieldledge style with its mix of linear type stone blended with mosaic irregular pieces. Appleton is a versatile stone and fits well on both large and small projects. The stone is shown with a standard half-inch grey raked mortar joint between the individual pieces. This is the most common installation method, however, other joint options and mortar colors can be used.

Flats Dimensions

Heights: 2" – 10"
Lengths: 4" – 18"
Depths: ¾" – 1-½"
Weight: 13 – 15 lb. per square foot

Corner Dimensions

Heights: 2" – 10"
Lengths: 3"–5" x 8"–12"
Depths: ¾" – 1-½"
Weight: 20 lb. per linear foot
Angle: 90

Stone Characteristics

Colors: Copper Tones, Earthy Browns, Grey Tones, Sky Tones
Style: Fieldledge
Finish: Natural

Packaging

Sold as loose pieces.
Flat Pallet: 150 square feet
Corner Pallet: 50 linear feet

LEED® Certification & Energy Efficiency

Using natural stone veneer can contribute to obtaining credits toward your LEED green building certification. The natural material helps improve the energy efficiency of your home or business.

Installation

Natural thin stone veneer installation information is available on our website:

🌐 https://quarrymill.com/info/technical-resources/

We have resources to help with everything from mortar joint selection to a full PDF install guide.

Applications

This natural stone veneer is approved for all applications due to its high compressive strength and low water absorption. It is well suited for exterior applications with a harsh climate.

🌐 **https://quarrymill.com/shop/appleton/**

Natural stone varies in color, shape and veining from piece to piece. Photos used are meant to be as accurate as possible in depicting the product. Photos of stone are meant to give a general idea but should not be used for exact color matching.